

SEQUENCE LISTING

<110> EXACT Science Corporation
Boles, T. Christian
Weir, Lawrence
Stone, Benjamin

<120> Detection of Non-Viral Organisms With SRP RNA

<130> EXT-073

<140> US 09/336,609
<141> 1999-06-18

<150> US 60/090,063
<151> 1998-06-19

<150> US 08/971,845
<151> 1997-08-08

<160> 27

<170> PatentIn version 3.0

<210> 1
<211> 21
<212> RNA
<213> Escherichia coli

<400> 1
gucaggguccg gaaggaagca g

21

<210> 2
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Complementary sequence of conserved E. coli 4.5S RNA region
nucleotide 44-65

<400> 2
gctgcttcct tccggacctg ac

22

<210> 3
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: shortened probe derived from
complementary sequence of E. coli 4.5S RNA region 44-65

<400> 3
gctgcttcct tccggacctg a

21

正月十五日，同家人在寓處吃元宵，我寫了一首詩，題為《元宵》。

```
<210> 4
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:a shorter probe derived from
complementary sequence of E. coli 4.5S RNA region 44-65

<400> 4
gctgcttcct tc
12

<210> 5
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: a short probe derived from
complementary sequence of E. coli 4.5S RNA region 44-65

<400> 5
gctgcttcct tccg
14

<210> 6
<211> 14
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: a short probe derived from the
complementary sequence of E. coli 4.5S RNA region 44-65

<400> 6
gacctgaccc ggtta
14

<210> 7
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: adaptor probe

<400> 7
gctgcttcct tccggacctg agtgaatacg ttcccgggcc t
41

<210> 8
<211> 41
<212> DNA
<213> Artificial Sequence
```

<220>
 <223> Description of Artificial Sequence: adaptor probe
 <400> 8
 gctgcttcct tccggacctg acaaaaacga taaaccaacc a 41

<210> 9
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: adaptor probe
 <400> 9
 ggcacacgcg tcatctgc 18

<210> 10
 <211> 29
 <212> RNA
 <213> Escherichia coli

<400> 10
 uuuaccagg u cagguccgga aggaagcag 29

<210> 11
 <211> 30
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: complementary sequence of
 conserved E. coli 4.5S RNA region nucleotides 36-65

<400> 11
 gctgcttcct tccggacctg acctggtaaa 30

<210> 12
 <211> 29
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: acrydite capture probe
 13-III-ac

<400> 12
 tttttttta ggcccgaa cgtattcac 29

<210> 13
 <211> 18

<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: fluorescent sandwich probe 2F

<400> 13 18
ggcacacgcg tcatctgc

<210> 14
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:alkaline phosphatase conjugated reporter probe RP-2

<220>
<221> n
<222> (1) .. (1)
<223> gm

<220>
<221> n
<222> (2) .. (2)
<223> cm

<220>
<221> n
<222> (3) .. (3)
<223> um

<220>
<221> n
<222> (4) .. (4)
<223> gm

<220>
<221> n
<222> (5) .. (5)
<223> cm

<220>
<221> n
<222> (6) .. (6)
<223> um

<220>
<221> n

<222> (7) .. (7)
<223> um

<220>
<221> n
<222> (8) .. (8)
<223> cm

<220>
<221> n
<222> (9) .. (9)
<223> cm

<220>
<221> n
<222> (10) .. (10)
<223> gm

<220>
<221> n
<222> (11) .. (11)
<223> um

<220>
<221> n
<222> (12) .. (12)
<223> cm

<400> 14
nnnnnnnnnn nn

12

<210> 15
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: gel-immobilized acrydite-modified
capture probe CP-1

<220>
<221> n
<222> (7) .. (7)
<223> cm

<220>
<221> n
<222> (8) .. (8)
<223> gm

<220>
<221> n
<222> (9)..(9)
<223> gm

<220>
<221> n
<222> (10)..(10)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (11)..(11)
<223> cm

<220>
<221> n
<222> (12)..(12)
<223> cm

<220>
<221> n
<222> (13)..(13)
<223> um

<220>
<221> n
<222> (14)..(14)
<223> gm

<220>
<221> n
<222> (15)..(15)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (16)..(16)
<223> cm

<220>
<221> n
<222> (17)..(17)
<223> cm

<220>

<221> n
<222> (18)..(18)
<223> um

<220>
<221> n
<222> (19)..(19)
<223> gm

<400> 15
ttttttnnnn nnnnnnnnn

19

<210> 16
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: gel-immobilized acrydite-modified capture probe CP-2

<220>
<221> n
<222> (7)..(7)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (8)..(8)
<223> gm

<220>
<221> n
<222> (9)..(9)
<223> gm

<220>
<221> n
<222> (10)..(10)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (11)..(11)
<223> cm

<220>
<221> n
<222> (12)..(12)

<223> cm

<220>
<221> n
<222> (13)..(13)
<223> um

<220>
<221> n
<222> (14)..(14)
<223> qm

```
<220>
<221> n
<222> (15)..(15)
<223> 2'-O-methyl adenosine ribonucleotide
```

<220>
<221> n
<222> (16) .. (16)
<223> cm

```
<220>
<221> n
<222> (17)..(17)
<223> 2'-O-methyl adenosine ribonucleotide
```

<220>
<221> n
<222> (18)..(18)
<223> um

<220>
<221> n
<222> (19)..(19)
<223> gm

19

```
<210> 17
<211> 19
<212> DNA
<213> Artificial Sequence
```

<220>
<223> Description of Artificial Sequence: gel-immobilized acrydite-modified
capture probe CP-3

<220>
<221> n
<222> (7) .. (7)
<223> cm

<220>
<221> n
<222> (8) .. (8)
<223> gm

<220>
<221> n
<222> (9) .. (9)
<223> gm

<220>
<221> n
<222> (10) .. (10)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (11) .. (11)
<223> cm

<220>
<221> n
<222> (12) .. (12)
<223> cm

<220>
<221> n
<222> (13) .. (13)
<223> um

<220>
<221> n
<222> (14) .. (14)
<223> gm

<220>
<221> n
<222> (15) .. (15)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n

<222> (16)..(16)
<223> cm

<220>
<221> n
<222> (17)..(17)
<223> cm

<220>
<221> n
<222> (18)..(18)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (19)..(19)
<223> gm

<400> 17
ttttttnnnn nnnnnnnnn

19

<210> 18
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:gel-immobilized acrydite-modified
capture probe CP-4

<220>
<221> n
<222> (7)..(7)
<223> cm

<220>
<221> n
<222> (8)..(8)
<223> gm

<220>
<221> n
<222> (9)..(9)
<223> gm

<220>
<221> n
<222> (10)..(10)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (11)..(11)
<223> cm

<220>
<221> n
<222> (12)..(12)
<223> cm

<220>
<221> n
<222> (13)..(13)
<223> um

<220>
<221> n
<222> (14)..(14)
<223> gm

<220>
<221> n
<222> (15)..(15)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (16)..(16)
<223> cm

<220>
<221> n
<222> (17)..(17)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (18)..(18)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (19)..(19)
<223> gm

<400> 18

<210> 19
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: gel-immobilized acrydite-modified capture probe CP-5

<220>
<221> n
<222> (7) .. (7)
<223> cm

<220>
<221> n
<222> (8) .. (8)
<223> gm

<220>
<221> n
<222> (9) .. (9)
<223> gm

<220>
<221> n
<222> (10) .. (10)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (11) .. (11)
<223> um

<220>
<221> n
<222> (12) .. (12)
<223> cm

<220>
<221> n
<222> (13) .. (13)
<223> um

<220>
<221> n
<222> (14) .. (14)

<223> gm

<220>
<221> n
<222> (15)..(15)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (16)..(16)
<223> cm

<220>
<221> n
<222> (17)..(17)
<223> 2'-O-methyl adenosine ribonucleotide

<220>
<221> n
<222> (18)..(18)
<223> cm

<220>
<221> n
<222> (19)..(19)
<223> gm

<400> 19
ttttttnnnn nnnnnnnnnn

19

<210> 20
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: 5S probe (66nf)

<400> 20
ccacactacc atcggcgct

19

<210> 21
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: nucleic acid probe

<400> 21
gctgcttccg tc 12

<210> 22
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: nucleic acid probe

<400> 22
cgAACCTGAC CTG 13

<210> 23
<211> 13
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: nucleic acid probe

<400> 23
aggaccugac aug 13

<210> 24
<211> 13
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: nucleic acid probe

<400> 24
cgGACCUGAC CAG 13

<210> 25
<211> 13
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: nucleic acid probe

<400> 25
cgGACCUGAC AAG 13

<210> 26
<211> 13
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: nucleic acid probe

<400> 26
cggaucugac acg

<210> 27
<211> 12
<212> RNA
<213> Artificial Sequence

- <220>
<223> Description of Artificial Sequence: alkaline phosphatase-cojugated reporter probe RP-1

<220>
<221> n
<222> (1) .. (1)
<223> gm

<220>
<221> n
<222> (2) .. (2)
<223> cm

<220>
<221> n
<222> (3) .. (3)
<223> um

<220>
<221> n
<222> (4) .. (4)
<223> gm

<220>
<221> n
<222> (5) .. (5)
<223> cm

<220>
<221> n
<222> (6) .. (6)
<223> um

<220>
<221> n
<222> (7) .. (7)
<223> um

<220>
<221> n
<222> (8)..(8)
<223> cm

<220>
<221> n
<222> (9)..(9)
<223> cm

<220>
<221> n
<222> (10)..(10)
<223> um

<220>
<221> n
<222> (11)..(11)
<223> um

<220>
<221> n
<222> (12)..(12)
<223> cm

<400> 27
nnnnnnnnnn nn

12